


## Landform of Selected Study Areas in Somaliland and Southern Somalia

Integrated Landform Mapping Approach at semi-detailed scale using Remote Sensing and GIS techniques



Project Report No L-02  
May 2007

Somalia Water and Land Information Management  
Ngecha Road, Lake View. P.O Box 30470-00100, Nairobi, Kenya.  
Tel +254 020 4000300 - Fax +254 020 4000333,  
Email: [enquiries@faoswalim.org](mailto:enquiries@faoswalim.org) Website: <http://www.faoswalim.org>.



The designations employed and the presentation of material in this information product do not imply the expression of any opinion whatsoever on the part of the Food and Agriculture Organization of the United Nations concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries.

This document should be cited as follows:

Paron, P., Vargas, R. 2007. Landform of Selected Study Areas in Somaliland and Southern Somalia. Integrated Landform Mapping Approach at semi-detailed scale using Remote Sensing and GIS techniques. FAO-SWALIM. Project Report L-02. Nairobi, Kenya.

## TABLE OF CONTENTS

### List of Acronyms

### Acknowledgment

|       |  |     |
|-------|--|-----|
| 1     | INTRODUCTION.....  | 1   |
| 2     | CONCEPTUAL BACKGROUND .....  | 2   |
| 2.1   | Somalia Integrated Hierarchical Landform Mapping Approach - SIHLMA .....                 | 7   |
| 2.2   | DTA analysis and parameters.....   | 16  |
| 2.3   | Visual Image Interpretation .....  | 19  |
| 2.4   | Field survey methodology.....  | 20  |
| 2.5   | Integration of Digital terrain analysis, Visual image interpretation and Field survey 20 |     |
| 3     | STUDY AREAS .....  | 22  |
| 3.1   | Location and delineation.....  | 22  |
| 3.2   | Available information .....  | 23  |
| 3.3   | General features of the Northern Area of Interest (NAOI).....                            | 24  |
| 3.3.1 | Climate .....  | 24  |
| 3.3.2 | Geology/Lithology.....   | 26  |
| 3.3.3 | Landform and Soils .....   | 27  |
| 3.3.4 | Land cover.....  | 27  |
| 3.3.5 | Land Use .....   | 27  |
| 3.3.6 | Population .....   | 28  |
| 3.4   | Southern Area of Interest (SAOI) .....   | 29  |
| 3.4.1 | Location and delineation .....   | 29  |
| 3.4.2 | Climate .....  | 29  |
| 3.4.3 | Geology .....  | 31  |
| 3.4.4 | Landform/Soils.....  | 31  |
| 3.4.5 | Land Cover .....   | 33  |
| 3.4.6 | Land Use.....  | 33  |
| 4     | MATERIALS AND METHODS .....  | 34  |
| 4.1   | Materials for the DTA.....   | 34  |
| 4.2   | Materials for the Visual image interpretation .....                                      | 36  |
| 4.3   | Materials for the FS .....   | 36  |
| 4.4   | Methodology.....   | 37  |
| 5     | RESULTS .....  | 40  |
| 5.1   | Landform of the Northern AOI .....   | 40  |
| 5.1.1 | Morphology.....  | 40  |
| 5.1.2 | Lithology .....  | 44  |
| 5.1.3 | Landform.....  | 45  |
| 5.2   | Landform of the Southern AOI .....   | 55  |
| 5.2.1 | Morphology.....  | 55  |
| 5.2.2 | Lithology .....  | 61  |
| 5.2.3 | Landform.....  | 61  |
| 5.3   | General Results.....   | 70  |
| 6     | CONCLUSIONS AND RECOMMENDATIONS .....  | 74  |
| 7     | BIBLIOGRAPHY.....  | 75  |
|       | ANNEXES .....  | 81  |
|       | Annex 1: Landform Glossary .....   | 82  |
|       | Annex 2: Lithology Glossary.....   | 94  |
|       | Annex 3: Field Forms .....   | 101 |
|       | Annex 4: Metadata of the satellite images and topographic maps .....                     | 105 |
|       | Annex 5: Digital Terrain Analysis products for the two AOI .....                         | 113 |

|                                   |     |
|-----------------------------------|-----|
| Annex 6: Fieldwork Pictures ..... | 133 |
|-----------------------------------|-----|

## List of tables

|  |    |
|--|----|
| Table 1: Comparison between different methods of terrain or landform mapping adopted by different schools .....  | 3  |
| Table 2: Definitions of the terms Landscape, Relief, Lithology and Landform .....  | 8  |
| Table 3: Landscapes codes and corresponding GP codes .....   | 9  |
| Table 4: Morphogenetic environments related to the different Relief groups .....   | 10 |
| Table 5: Detailed list of all Relief classes used in the image interpretation exercise, representing relief classes that can theoretically be present in Somalia .....   | 10 |
| Table 6: Lithogenetic environments and related rocks (from Africover) .....  | 13 |
| Table 7: Morphogenetic environments related to the different Landform groups .....   | 14 |
| Table 8: detailed list of all the Landform classes set up before starting of the image interpretation exercise. They represent the possible relief classes that, from a theoretical point of view, can be present in Somalia ..... | 14 |
| Table 9: Landform automated classification classes adopted through use of three different software packages .....  | 19 |
| Table 10: Regions, districts, and their populations (Somalia UNDP 2005, draft version) .....   | 28 |
| Table 11: Final legend scheme, including all the three hierarchical levels, for the northern AOI .....   | 45 |
| Table 12: Distribution of Landscape types and their specific areas (in km <sup>2</sup> ) .....   | 49 |
| Table 13: Distribution of Relief types and their specific areas (in km <sup>2</sup> ) .....  | 51 |
| Table 14: Distribution of Landform types and their specific areas (km <sup>2</sup> ) .....   | 52 |
| Table 15: Final legend scheme, including the two hierarchical levels, for the southern AOI .....   | 61 |
| Table 16: Distribution of Landscape classes and their areas (km <sup>2</sup> ) .....   | 65 |
| Table 17: Distribution of Relief classes and their areas (km <sup>2</sup> ) .....  | 67 |
| Table 18: Complete legend adopted for both the northern and southern AOI .....   | 70 |
| Table 19: Conversions between the Bay and Bakool Region Geological map and the Geological Map of Somalia .....   | 73 |

## List of figures

|  |    |
|--|----|
| Figure 1: The two Areas of Interest: north-western Somalia and southern Somalia .....  | 22 |
| Figure 2: Rainfall and Potential Evapotranspiration .....  | 25 |
| Figure 3: Relative Humidity of the Study Area .....  | 25 |
| Figure 4: Rainfall distribution and climate classification of the study area .....   | 26 |
| Figure 5: Mean monthly rainfall patterns in the study area (1963-2001) .....   | 30 |
| Figure 6: Mean annual rainfall distribution map and climate of study area .....  | 32 |
| Figure 7: Flow chart showing general methodology followed during the landform mapping process .....                                      | 38 |
| Figure 8: Flow chart showing software used during the landform mapping process .....   | 39 |
| Figure 9: Hillshade (shaded relief) of the northern AOI .....  | 42 |
| Figure 10: Elevation map of the northern AOI .....   | 42 |
| Figure 11: Slope map of the northern AOI .....   | 43 |
| Figure 12: Aspect map of the northern AOI .....  | 44 |
| Figure 13: Lithological map of the northern AOI, using the base map of Abbate <i>et al.</i> , 1994. (For classes refer to Annex 2) ..... | 46 |
| Figure 14: Main Landscape groups of the northern AOI .....   | 47 |
| Figure 15: Landscape types of the northern AOI .....   | 48 |
| Figure 16: Chart showing Landscape types vs. Area (km <sup>2</sup> ) .....   | 49 |
| Figure 17: Relief types of the northern AOI .....  | 50 |
| Figure 18: Chart showing Relief types vs. Area (km <sup>2</sup> ) .....  | 51 |
| Figure 19: Chart showing Landform types vs. Area (km <sup>2</sup> ) .....  | 52 |
| Figure 20: Hillshade (shaded relief) of the southern AOI .....   | 56 |
| Figure 21: Elevation map of the southern AOI .....   | 57 |

|   |    |
|---|----|
| Figure 22: Slope map of the southern AOI .....  | 58 |
| Figure 23: Aspect map of the southern AOI .....   | 59 |
| Figure 24: Lithological map of the southern AOI, derived from Abbate <i>et al.</i> , 1994. (See Annex 2 for codes) .....  | 60 |
| Figure 25: Main Landscape groups of the southern AOI .....  | 63 |
| Figure 27: Chart showing Landscape types vs. Area (km <sup>2</sup> ) .....  | 65 |
| Figure 28: Relief types of the southern AOI .....   | 66 |
| Figure 29: Chart showing Relief types vs. Area (km <sup>2</sup> ) .....   | 68 |
| Figure 30: Example of the drop-down menu from which codes for Landscape, Relief, Lithology or Landform can be selected, thereby avoiding possible typing mistakes ..... | 72 |
| Figure 31: Example of the MS Access mask used for the field data entry .....  | 72 |

## List of Pictures

- Picture 1: North-East of Hargeisa: panoramic view of the mesas, extending from the main plateau (GPS point 017).
- Picture 2: North-East of Hargeisa (road Hargeisa-Berbera): panoramic view northwards from top of mesa. Note pond in middle of the picture (GPS point 017).
- Picture 3: North-east of Hargeisa: two isolated mesas emerging from the denudational surface
- Picture 4: South of Borama: granite inselbergs emerging from the denudational surface.
- Picture 5: North of Borama, toward Bown: sedimentary ridges (foreground) and very stony surface with shrubs.
- Picture 6: East of Borama: Ridges of metamorphic rocks emerging from the valley. Stony surface close to the road, vegetated surface far from the road.
- Picture 7: Between Borama and Bown: IFAD water reservoir with livestock and people collecting water (see Annex 6). Sedimentary ridges in the background.
- Picture 8: From Bown to Borama: wide, flat-floored valley surrounded by metamorphic ridges
- Picture 9: Between Borama and Gebiley: *togga* with boulders in its bed and strong bank erosion on its sides (landslides, mainly toppling, are visible in the near right *togga* walls).
- Picture 10: Between Borama and Gebiley: dry *togga* crossing. Note high percentage of big boulders in the *togga* bed, testifying to high water energy during the rains. This picture was taken during the rainy season.
- Picture 11: Between Gebiley and Hargeisa: water in a *togga* due to an isolated, contemporaneous rainy event in the upper catchment. Note the sunny conditions at the *togga* crossing point.
- Picture 12: North-east of Hargeisa: a block of limestone with chert. Note the desert varnishing on the chert and fracturation of the black
- Picture 13: South of Hargeisa: big nodule of chert within limestone. Note the effect of weathering and fracturation on the chert nodule
- Picture 14: North of Hargeisa: sandstone parent material of soils in this area. The sandstone is highly weathered and very poorly cohesive. It contains some calcium carbonate nodules
- Picture 15: North of Borama: outcrop of schist (metamorphic rock composed of micas and/or amphibole) highly fractured and easily erodable (note debris at base)
- Picture 16: North-East of Borama: alluvial deposits exposed in a natural profile along a *togga* side. Note different sizes of the blocks and boulders and the fairly thick soil cover on top. All have been eroded by fluvial activity
- Picture 17: Jurassic Limestones outcrop north of Borama: effect of weathering (chemical and physical degradation) on the limestone surface, combined with a high degree of fracturation in angular blocks.
- Picture 18: East of Borama: results of chemical weathering and fracturation on the calcium carbonate-rich sandstone of this area. Note deep action of weathering on more erodable calcareous (grey) veins. All calcium carbonate so dissolved was found in soils surrounding this outcrop

Picture 19: North of Borama: metamorphic rocks (migmatites and granitoids) with very high fracturation and degradation on the side of a mountainous *togga*.

**List of acronyms**

AOI – Area of Interest

DTA – Digital Terrain Analysis

DEM – Digital Elevation Model

FAO – Food and Agriculture Organization

FS – Field Survey

GIS – Geographical Information System

RS – Remote Sensing

SRTM – Shuttle Radar Topography Mission

SILHMA – Somalia Integrated Hierarchical Landform Mapping Approach

VIMI – Visual Image Interpretation